



US005238963A

United States Patent [19]

Cerami et al.

[11] **Patent Number:** 5,238,963[45] **Date of Patent:** * Aug. 24, 1993[54] **METHOD AND AGENTS FOR INHIBITING PROTEIN AGING**[75] **Inventors:** Anthony Cerami, Shelter Island, N.Y.; Peter C. Ulrich, Tenaflly, N.J.; Michael Brownlee, New York, N.Y.[73] **Assignee:** The Rockefeller University, New York, N.Y.[*] **Notice:** The portion of the term of this patent subsequent to Jul. 7, 2009 has been disclaimed.[21] **Appl. No.:** 805,200[22] **Filed:** Dec. 10, 1991**Related U.S. Application Data**

[60] Division of Ser. No. 481,869, Feb. 20, 1990, Pat. No. 5,128,360, which is a continuation-in-part of Ser. No. 220,504, Jul. 18, 1988, abandoned, which is a division of Ser. No. 798,032, Nov. 14, 1985, Pat. No. 4,758,583, which is a continuation-in-part of Ser. No. 590,820, Mar. 19, 1984, Pat. No. 4,665,192.

[51] **Int. Cl.⁵** A61K 31/155[52] **U.S. Cl.** 514/632; 514/866[58] **Field of Search** 514/400, 632, 634, 866[56] **References Cited****U.S. PATENT DOCUMENTS**

4,665,192	5/1987	Cerami	548/336
4,758,583	7/1988	Cerami et al.	514/399
4,978,684	12/1990	Cerami et al.	514/632
4,983,604	1/1991	Ulrich et al.	514/238.5

OTHER PUBLICATIONS

Merck Index, 11th Ed., #453: Aminoguanidine (1989).
 Carroll et al., *Fed. Proc.*, 43(3), Abs. 2514 (1984), "Dose-Dependent Inhibition of Aortic Albumin Accumulation in Diabetes by α -Hydrazinohistidine."
 Hollis et al., *Exp. Mole. Path.*, 41, pp. 207-217 (1984), "Time-Dependent Changes in Aortic Albumin Permeability Characteristics in Experimental Diabetes".
 Eble et al., *J. Biol. Chem.*, 258(15), pp. 9406-9412 (1983), and *Chem. Abs.*, 99, 99:84008P (1983), "Nonenzymatic Glucosylation and Glucose-dependent Cross-linking of Protein."

Hollis et al., *Diabetologia*, 28, pp. 282-295 (1985), "Inhibition of Aortic Histamine Synthesis by α -Hydrazinohistidine Inhibits Increased Aortic Albumin Accumulation in Experimental Diabetes in the Rat."

Hollis et al., *Fed. Proc.*, 43(3), Abs. 2513 (1984), "Aortic Albumin Accumulation in Diabetes and Hypertension and its Alteration by α -Hydrazinohistidine, insulin, and hypertension Reversal."

Hollis et al., *Exp. Mole. Path.*, 43, pp. 90-96 (1985), "Changes in Plasma Histamine Concentration in the Streptozotocin-Diabetic Rat."

Lindberg et al., *Acta Obst. Gyn. Scandianav*, 45, pp. 131-139 (1966), "The Inhibitory Effect of Aminoguanidine on Histamine Catabolism in Human Pregnancy".
 Monnier et al., *Science*, 211, pp. 491-493 (1981), "Non-enzymatic Browning In Vivo: Possible Process for Aging of Long-Lived Proteins."

Orlidge et al., *Arteriosclerosis*, 2(2), pp. 142-150 (1982), "Aortic Endothelial and Smooth Muscle Histamine Metabolism in Experimental Diabetes."

(List continued on next page.)

Primary Examiner—Frederick E. Waddell**Assistant Examiner**—Kimberly R. Jordan**Attorney, Agent, or Firm**—Klauber & Jackson

[57]

ABSTRACT

The present invention relates to compositions and methods for inhibiting protein aging. Accordingly, a composition is disclosed which comprises an agent or compound capable of inhibiting the formation of advanced glycosylation end products of target proteins by reacting with the carbonyl moiety of the early glycosylation product of such target proteins formed by their initial glycosylation. Suitable agents may contain an active nitrogen-containing group, such as a hydrazine group. Particular agents comprise aminoguanidine, α -hydrazinohistidine and mixtures thereof. The method comprises contacting the target protein with the composition. Both industrial and therapeutic applications for the invention are envisioned, as food spoilage and animal protein aging can be treated.

3 Claims, 5 Drawing Sheets